



EC-type examination certificate

Registration number / Reference mark C3430NOIR

The company

NoIR Laser Company, LLC
6155 Pontiac Trail
SOUTH LYON MI 48178

Applicant's code NOIR

hereby receives the confirmation that the product/s

laser protection filter/laser adjustment filter

of the type

DIA / DIA 4 and 8 base

conforms to

**Rules 89/686/EWG
DIN EN 208:2002-12
DIN EN 207:2002-12**

Test report(s): 77372-PTB-02, 11436-PZA-05, 1030-PZA-07, 11142-PZA-07

Identification Information see annex

See annex for further information.

DIN CERTCO GmbH
Prüf- und Zertifizierungszentrum Aalen
Gartenstraße 133, 73430 Aalen Germany



2007-07-13

Dipl.-Ing. (FH) Stefan Merkel
Notified Body 0196



Annex

to the Certificate with Registration No. C3430NOIR, dated 2007-07-13

Herewith, DIN CERTCO PZA certifies that the model is in compliance with the basic requirements of the Directive 89/686/EWG for personal protective equipment. The certificate is based both / either on the tests and / or on the technical documentation submitted by the manufacturer.

Test report(s)

77372-PTB-02, 11436-PZA-05, 1030-PZA-07, 11142-PZA-07

Name and address of DIN CERTCO Prüf- und Zertifizierungszentrum Aalen as the notified body - identification no. 0196 are to be indicated in the information brochure for the product.

This eye-protection is to be marked on the oculars and/or the frames. The marking must include:

Laser mode of operation	Spectral range in nm	Shade/ scale number	Identification
--------------------------------	-----------------------------	----------------------------	-----------------------

DIA

DR	180 to 315	L6+L4	180-315 D L6 + R L4 NOIR CE
DR	>315 to 400	L4	>315-400 DR L4 NOIR CE
DI	605 to 675	L1	605-675 DI L1 NOIR CE
DI	>675 to 695	L2	>675-695 DI L2 NOIR CE
DI	>695 to 700	L1	>695-700 DI L1 NOIR CE

DIA 4 and 8 base

DR	180 to 315	L6+L4	180-315 D L6 + R L4 NOIR CE
DR	>315 to 395	L4	>315-395 DR L4 NOIR CE
DI	605 to 675	L1	605-675 DI L1 NOIR CE
DI	>675 to 695	L2	>675-695 DI L2 NOIR CE
DI	>695 to 700	L1	>695-700 DI L1 NOIR CE

Adjustment: 0,01W 2*10E-6J 605-675 R1 NOIR CE
0,1W 2*10E-5J >675-695 R2 NOIR CE

Additional product specification